

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	498	@ad<"20040123" and ((repeat\$3) with (event or alert\$3 or intru\$4)) (pre-exist\$3 or exist\$3) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/09 16:04
L3	0	@ad<"20040123" and ("20020087882" or "20040250124") and ((repeat\$3) with (event or alert\$3 or intru\$4)) (pre-exist\$3 or exist\$3) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/09 16:05
L4	40296	@ad<"20040123" and ("20020087882" or "20040250124") and ((repeat\$3) with (event or alert\$3 or intru\$4)) or (pre-exist\$3 or exist\$3) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/09 16:05
L5	3	@ad<"20040123" and ("20020087882" or "20040250124") and (((repeat\$3) with (event or alert\$3 or intru\$4)) or (pre-exist\$3 or exist\$3)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/09 16:57
L6	4	@ad<"20040123" and ("20020087882" or "20040250124" or "20040133672") and (pre-exist\$3 or exist\$3) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/09 16:58
L7	4	@ad<"20040123" and ("20020087882" or "20040250124" or "20040133672") and (pre-exist\$3 or exist\$3 or threat\$5 or malicious\$2 or danger\$3) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/09 17:23

EAST Search History

L8	3	@ad<"20040123" and ("20020087882" or "20040250124") and ((command\$3 or action or function) and (delet\$3 or block\$3 or ban\$4 or remov\$3) and (period or time) and (port or input\$4 or channel) and type and descri\$5 and (date or time) and (source or destination)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/09 18:14
L9	3	@ad<"20040123" and ("20020087882" or "20040250124") and (type and descri\$5 and (date or time) and (source or destination)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/09 18:19
L10	1	@ad<"20040123" and ("20020087882" or "20040250124") and ((source and destination)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/09 18:41
L11	1604	@ad<"20040123" and ((source and destination) and ip and port and url) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/09 18:48
L12	7	@ad<"20040123" and ((source and destination) near4 (ip and port and url)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/09 18:52
L13	24	@ad<"20040123" and ((source and destination) with (ip and port and url)) and "709"/\$.ccls. and (internal or external)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/09 19:48

EAST Search History

L14	1	@ad<"20040123" and ((identif\$7 with (monitor\$3 or module or comput\$3 or node or host or device or system) with receiv\$3)) and (identif\$7 with (action or command\$3 or function or execut\$4) with (monitor\$3 or module or comput\$3 or system or node or host or device)) and (((disparate and standard\$4) with form)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/09 19:58
L15	6	@ad<"20040123" and ((identif\$7 with (monitor\$3 or module or comput\$3 or node or host or device or system) with receiv\$3)) and (identif\$7 with (action or command\$3 or function or execut\$4) with (monitor\$3 or module or comput\$3 or system or node or host or device)) and (((disparate and standard\$4) with form))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/09 20:21
L16	2	@ad<"20040123" and "20030061256" and (identif\$7 monitor\$3 module comput\$3 node host device system receiv\$3 identif\$7 action command\$3 function execut\$4 monitor\$3 module comput\$3 system node host device disparate standard\$4 form)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/09 20:25
L17	2	@ad<"20040123" and "20030061256" and (identif\$7 monitor\$3 module comput\$3 node host device system receiv\$3 identif\$7 action command\$3 function execut\$4 monitor\$3 module comput\$3 system node host device disparate standard\$4 event alert incident notif\$7 malicious\$2 danger\$3 threat\$5 form)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/09 20:38

EAST Search History

L18	2	@ad<"20040123" and "20030061256" and (identif\$7 monitor\$3 module comput\$3 node host device system receiv\$3 identif\$7 action command\$3 function execut\$4 monitor\$3 module comput\$3 system node host device disparate standard\$4 event alert receipt receiv\$3 perform\$3 incident notif\$7 malicious\$2 danger\$3 threat\$5 form)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/09 20:39
S1	1	10/768931	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:27
S2	1	@ad<"20040123" and (monitor\$3 near3 module) and (event near3 data) and ((first and second) with (event near3 record\$3)) and (network\$3 with messag\$3) and (event with (database or db)) and (command\$3 or execut\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:25
S3	0	@ad<"20040123" and (Demopoulos.in. or Fladebo.in.) and (Barrier near3 Group).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:35
S4	3	(Demopoulos.in. or Fladebo.in.) and (Barrier near3 Group).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:39
S5	1	("2005/0193429").URPN.	USPAT	OR	ON	2007/09/04 12:36
S6	71	(Demopoulos.in. or Fladebo.in.) or (Barrier near3 Group).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:40

EAST Search History

S7	78	@ad<"20040123" and (monitor\$3 near3 module) and (event) and ((event near3 record\$3)) and (network\$3 with messag\$3) and (event with (database or db)) and (command\$3 or execut\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:59
S8	33	@ad<"20040123" and (monitor\$3 near3 module) and (event) and ((event near3 record\$3)) and (network\$3 with messag\$3) and (event with (database or db)) and (command\$3 or execut\$4) and (virus or threat\$5 or attack\$3 or malicious or spy\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:28
S9	96	@ad<"20040123" and ("20040181664" "20020083168" "7155514" "7150044" "6801940" "6633835" "6553336") and (monitor\$3 module event record\$3 network\$3 messag\$3 database db command\$3 execut\$4 virus threat\$5 attack\$3 malicious spy\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:03
S10	46	"6363489" "20020078202" "20020188864" "20040255167" "20050005017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:55
S11	37	@ad<"20040123" and ("20040255167" "20020188864" "20050005017" "20020078202" "6363489") and (monitor\$3 module event record\$3 network\$3 messag\$3 database db command\$3 execut\$4 virus threat\$5 attack\$3 malicious spy\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:07
S12	24877	@ad<"20040123" and ((evaluat\$3 or analyz\$3) with (incoming or receiv\$3) with (monitor\$3 or device or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:17
S13	1169	@ad<"20040123" and ((evaluat\$3 or analyz\$3) with messag\$3 with (incoming or receiv\$3) with (monitor\$3 or device or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:23

EAST Search History

S14	12	@ad<"20040123" and ((identif\$7 or evaluat\$3 or analyz\$3) with messag\$3 with (incoming or receiv\$3) with (monitor\$3 or device or module) with (threat\$5 or virus or worm or malicious\$2 or hack\$3 or spy\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:25
S15	4474	@ad<"20040123" and (intrusion near3 detection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:55
S16	1397	@ad<"20040123" and (intrusion near3 detection) and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:56
S17	1	("6687748" "20060173992" "20050044212" "20040133672" "20040117478" "20040093409" "20040030778" "20040015582" "20030172155" "20030105859" "20030101260" "20030061346" "20030051026" "20030005109" "20020143938" "20020143934" "20020133586" "20020107953" "20020095490" "20020046275" "7089303" "7062553" "7016951" "6968377" "6898632") and @ad<"20040123" and ((evaluat\$3 or analyz\$3) with (receiv\$3 or inbound or incoming or in-coming or in-bound) with (messag\$3 or mail\$3 or email\$3 or e-mail\$3 or packet or datagram) with (monitor\$3 or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 18:09
S18	157	"709"/\$.ccls. and @ad<"20040123" and ((evaluat\$3 or analyz\$3) with (receiv\$3 or inbound or incoming or in-coming or in-bound) with (messag\$3 or mail\$3 or email\$3 or e-mail\$3 or packet or datagram) with (monitor\$3 or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 18:22

EAST Search History

S19	24	"709"/\$.ccls. and @ad<"20040123" and (((identify\$ or determin\$3 or conclud\$3) with (messag\$3 or mail\$3 or email\$3 or e-mail\$3 or packet or datagram) with (threat\$5 or danger\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 19:15
S20	906	"709"/\$.ccls. and @ad<"20040123" and (((event near3 data) or output\$4) with (monitor\$3 or module) with (messag\$3 or mail\$3 or email\$3 or e-mail\$3 or packet or datagram))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 19:24
S21	1198	"709"/\$.ccls. and @ad<"20040123" and (((event near3 data) or output\$4 or alert\$3) with (monitor\$3 or module) with (messag\$3 or mail\$3 or email\$3 or e-mail\$3 or packet or datagram))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 19:34
S22	2317	"709"/\$.ccls. and @ad<"20040123" and ((stor\$3 or sav\$3) with ((event near3 data) or alert\$3 or noti\$8 or result\$3 or output\$4) with (database or db))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 10:37
S23	447	"709"/224.ccls. and @ad<"20040123" and ((stor\$3 or sav\$3) with ((event near3 data) or alert\$3 or noti\$8 or result\$3 or output\$4) with (database or db))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:08
S24	52	"709"/224.ccls. and @ad<"20040123" and ((evaluat\$3 or analyz\$3) with (incom\$3 or in-com\$3 or inbound or in-bound or receiv\$3) with (messag\$3 or packet or datagram or mail\$3 or email\$3 or e-mail\$3) with (monitor\$3 or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 12:33
S25	3	"709"/224.ccls. and @ad<"20040123" and ((identif\$7 or determin\$3) with (messag\$3 or packet or datagram or email\$3 or e-mail\$3 or mail\$3) with (threat\$5 or danger\$3) with (monitor\$3 or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 13:04

EAST Search History

S26	117	"709"/224.ccls. and @ad<"20040123" and ((receiv\$3 or inbound or in-bound or incom\$3 or in-com\$3) with (result\$3 or output\$4 or alert\$3) with (monitor\$ or module) with (messag\$3 or mail\$3 or email\$3 or e-mail\$3 or datagram or packet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 13:42
S27	177	"709"/224.ccls. and @ad<"20040123" and ((receiv\$3 or inbound or in-bound or incom\$3 or in-com\$3) with (event or result\$3 or output\$4 or alert\$3) with (monitor\$ or module) with (messag\$3 or mail\$3 or email\$3 or e-mail\$3 or datagram or packet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 13:43
S28	311	"709"/224.ccls. and @ad<"20040123" and ((analyz\$3 or determin\$3) with (alert\$3 or event) with (monitor\$3 or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:50
S29	102	(S23 or S24 or S25 or S26 or S27 or S28) and ((action or comman\$3 or execut\$4 or script\$3 or function\$3) with module with (event or alert\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 15:30
S30	52	(S23 or S24 or S25 or S26 or S27 or S28) and ((messag\$3 or mail\$3 or email\$3 or e-mail\$3 or packet or datagram) with (receiv\$3 or incom\$3 or in-com\$3 or inbound or in-bound) with (evaluat\$3 or analyz\$3) with (monitor\$3 or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 15:41
S31	825	(S23 or S24 or S25 or S26 or S27 or S28)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:30
S32	974	@ad<"20040123" and ((evaluat\$3 or analyz\$3) with (messag\$3 or mail\$3 or email\$3 or e-mail\$4 or packet or datagram) with (receiv\$3 or incom\$3 or in-com\$3 or inbound or in-bound) with (monitor\$3 or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:03

EAST Search History

S33	10304	@ad<"20040123" and (intru\$4 near3 detect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:03
S34	605	@ad<"20040123" and (intru\$4 near3 detect\$3) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:07
S35	114	@ad<"20040123" and (intru\$4 near3 detect\$3) and "709"/\$.ccls. and (monitor\$3 with module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:38
S36	113	@ad<"20040123" and (intru\$4 near3 detect\$3) and "709"/\$.ccls. and (monitor\$3 with module) and (receiv\$3 or incom\$3 or in-com\$3 or inbound or in-bound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:42
S37	113	@ad<"20040123" and (intru\$4 near3 detect\$3) and "709"/\$.ccls. and (monitor\$3 with module) and (receiv\$3 or incom\$3 or in-com\$3 or inbound or in-bound) and (traffic\$3 or activity or messag\$3 or email\$3 or e-mail\$3 or mail\$3 or datagram or packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 18:00
S38	2	@ad<"20040123" and ("20040250124" "20040133672") and (monitor\$3 module receiv\$3 incom\$3 in-com\$3 inbound in-bound traffic\$3 activity messag\$3 email\$3 e-mail\$3 mail\$3 datagram packet intru\$4 detect\$3 threat\$5 danger\$3 alert\$3 event stor\$3 sav\$3 send\$3 transmi\$5 command\$3 execut\$3 function\$3 analyz\$3 determin\$3 evaluat\$3 identif\$4 first second database db secur\$3 exist\$3 record\$3 relat\$3 respon\$4 action) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 18:07

EAST Search History

S39	2	@ad<"20040123" and ("20040250124" "20040133672") and (monitor\$3 module receiv\$3 incom\$3 in-com\$3 inbound in-bound traffic\$3 activity messag\$3 email\$3 e-mail\$3 mail\$3 datagram packet intru\$4 detect\$3 threat\$5 danger\$3 alert\$3 event stor\$3 sav\$3 send\$3 transmi\$5 command\$3 execut\$3 function\$3 analyz\$3 determin\$3 evaluat\$3 identif\$4 first second database db secur\$3 exist\$3 record\$3 relat\$3 respon\$4 action) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:29
S40	4	("20020087882" "20020091821" "20030023722" "20040107278" "20030110253" "20020120737") and ((delet\$3 or remov\$3) near4 (messag\$3 or threat\$5 or file or mail\$3 or email\$3 or e-mail\$3 or virus or packet or datagram))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:32
S41	17869	@ad<"20040123" and (((messag\$3 or email\$3 or mail\$3 or e-mail\$3 or datagram or packet or file) near4 (delet\$3 or remov\$3)) and (evaluat\$3 or analyz\$3 or identif\$4) and (event or alert\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:37
S42	1823	@ad<"20040123" and (((messag\$3 or email\$3 or mail\$3 or e-mail\$3 or datagram or packet or file) near4 (delet\$3 or remov\$3)) and (evaluat\$3 or analyz\$3 or identif\$4) and (threat\$5 or danger\$3) and (event or alert\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:42
S43	1616	@ad<"20040123" and (((messag\$3 or email\$3 or mail\$3 or e-mail\$3 or datagram or packet or file) near4 (delet\$3 or remov\$3)) and (evaluat\$3 or analyz\$3 or identif\$4) and (threat\$5 or danger\$3) and (event or alert\$3) and (monitor\$3 or module) and (receiv\$3 or incom\$3 or in-bound or inbound or in-com\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:47

EAST Search History

S44	1229	@ad<"20040123" and (((messag\$3 or email\$3 or mail\$3 or e-mail\$3 or datagram or packet or file) near4 (delet\$3 or remov\$3)) and (evaluat\$3 or analyz\$3 or identif\$4) and (threat\$5 or danger\$3) and (event or alert\$3) and (monitor\$3 or module) and (receiv\$3 or incom\$3 or in-bound or inbound or in-com\$3) and (db or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 14:00
S45	841	@ad<"20040123" and (((messag\$3 or email\$3 or mail\$3 or e-mail\$3 or datagram or packet or file) near4 (delet\$3 or remov\$3)) and (evaluat\$3 or analyz\$3 or identif\$4) and (threat\$5 or danger\$3) and (event or alert\$3) and (monitor\$3 or module) and (receiv\$3 or incom\$3 or in-bound or inbound or in-com\$3) and (db or database) and (rank\$3 or priorit\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 14:04
S46	839	@ad<"20040123" and (((messag\$3 or email\$3 or mail\$3 or e-mail\$3 or datagram or packet or file) near4 (delet\$3 or remov\$3)) and (evaluat\$3 or analyz\$3 or identif\$4) and (threat\$5 or danger\$3) and (event or alert\$3) and (monitor\$3 or module) and (receiv\$3 or incom\$3 or in-bound or inbound or in-com\$3) and (db or database) and (rank\$3 or priorit\$5) and (buffer\$3 or stor\$3 or memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 17:14
S47	4	@ad<"20040123" and ("20040133672" or "20040250124" or "20020087882") and (priorit\$3 or rank\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 18:00
S48	2998	@ad<"20040123" and ((threat\$5 or danger\$3 or virus or malicious\$2) and (database or db) and (priorit\$5 or rank\$3) and (identif\$4 or type or descri\$5) and (date or tim\$5 or stamp\$3) and source and destination)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 10:08

EAST Search History

S49	2	@ad<"20040123" and "20040250124" and (database event records message received period time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 10:36
S50	2	@ad<"20040123" and "20040250124" and (identif\$4 (threat\$5 or danger\$4 or malicious\$2 or virus) monitor\$3 modules)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 10:52
S51	1	@ad<"20040123" and "20040250124" and (database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 11:00
S52	1	@ad<"20040123" and "20040250124" and (database event record)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 11:14
S53	1	@ad<"20040123" and "20040250124" and (priorit\$4 or rank\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 11:16
S54	2	@ad<"20040123" and "20040250124" and (event type description priority date time message identifying source data destination)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 14:09
S55	1	@ad<"20040123" and "20040250124" and (identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 14:12

EAST Search History

S56	1	@ad<"20040123" and "20040250124" and (type priority)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 14:22
S57	2	@ad<"20040123" and "20040250124" and (block\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 14:32
S58	23	@ad<"20040123" and (analy\$4 identi\$7 event (threat\$5 or danger\$3 or malicious\$2) messag\$3 determin\$3 Bayesian (transmi\$5 or send\$3) (command or action or function) (interface near3 requirements))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/07 14:49
S59	184	@ad<"20040123" and (analy\$4 identi\$7 event (threat\$5 or danger\$3 or malicious\$2) messag\$3 determin\$3 Bayesian (transmi\$5 or send\$3) (command or action or function) interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/07 16:20
S60	1	@ad<"20040123" and "20040250124" and (analy\$4 identi\$7 event (threat\$5 or danger\$3 or malicious\$2) messag\$3 determin\$3 (transmi\$5 or send\$3) (command or action or function))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/07 15:02
S61	1	@ad<"20040123" and "20040250124" and (analy\$4 database identi\$7 (event or alert\$3) (threat\$5 or danger\$3 or malicious\$2) messag\$3 determin\$3 (transmi\$5 or send\$3) (command or action or function))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/07 15:05
S62	1	@ad<"20040123" and "6405250" and ((determin\$3 or calculat\$3) (threat\$5 or malicious\$2 or danger\$3) interfac\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/07 16:42

EAST Search History

S63	118	@ad<"20040123" and ((delet\$3 or remov\$3) with (db or database) with event with (old\$2 or ag\$3 or tim\$3 or date))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/07 17:13
S64	108	@ad<"20040123" and ((delet\$3 or remov\$3) with (db or database) with event with (old\$2 or age or time or date))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/07 18:16
S65	4	@ad<"20040123" and ("20040250124" or "20040133672" or "20020087882") and module	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/07 18:55
S66	46133	@ad<"20040123" and (command\$3 or action or execut\$3 or respons\$3) and (module near4 (deci\$4 or result\$3 or evaluat\$3 or determin\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/07 18:41
S67	1538	@ad<"20040123" and ((command\$3 or action or execut\$3 or respons\$3) near4 (secur\$3 or intru\$4)) and (module near4 (deci\$4 or result\$3 or evaluat\$3 or determin\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/07 18:42
S68	1	@ad<"20040123" and ("20040250124" or "20040133672" or "20020087882") and module with block\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/07 18:55
S69	3	@ad<"20040123" and (((first or 1st or "1") and (second or 2nd or "2"))) near4 (computer or node or system)) and ("20040250124" or "20040133672")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/08 18:27

EAST Search History

S70	672922	@ad<"20040123" and (((first or 1st or "1") and (second or 2nd or "2"))) near4 (computer or node or system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/08 16:52
S71	3044	@ad<"20040123" and (((first or 1st or "1") and (second or 2nd or "2"))) near4 (computer or node or system)) and 709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/08 17:14
S72	399	@ad<"20040123" and (((first or 1st or "1") and (second or 2nd or "2"))) near4 (computer or node or system)) with (multiple or plurality)) and 709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/08 17:34
S73	0	@ad<"20040123" and (((first or 1st or "1") and (second or 2nd or "2"))) near4 (computer or node or system)) with (multiple or plurality)) and ((Demopoulos.in. or Fladebo.in.) or (Barrier near3 Group).as.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/08 17:34
S74	0	@ad<"20040123" and ((command\$3 or action or function) with (event or data) with (identif\$7)) and ("20040250124" or "20040133672")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/08 18:30
S75	35360	@ad<"20040123" and ((command\$3 or action or function) with (event or data) with (identif\$7))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/08 18:31
S76	426	@ad<"20040123" and ((command\$3 or action or function) with (event or data) with (identif\$7)) and 709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/08 18:38

EAST Search History

S77	84	@ad<"20040123" and (((command\$3 or action or function) with (event or data) with (identif\$7)) same (second or 2nd or "2")) and 709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/08 19:01
S78	20	@ad<"20040123" and (((command\$3 or action or function) with (event or alert\$3 or rule or data) with (identif\$7)) same ((second or 2nd or "2") with (comput\$3 or node or host or leaf))) and 709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/08 19:20
S79	97	@ad<"20040123" and (((command\$3 or action or function) with (event or alert\$3 or rule or data) with (identif\$7)) with (comput\$3 or node or host or leaf)) and 709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/08 19:35
S80	38	@ad<"20040123" and (((command\$3 or action or function) with (event or alert\$3 or rule) with (identif\$7)) with (comput\$3 or node or host or leaf)) and 709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/08 20:34
S81	5181	@ad<"20040123" and (repeat identifying pre-existing event data that relate to the new event data threshold Bayesian threat level) and 709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/08 20:37
S82	1	@ad<"20040123" and (repeat identifying pre-existing event data threshold Bayesian threat level) and 709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/08 20:46
S83	0	@ad<"20040123" and (repeat\$3 identif\$4 (pre-exist\$3 or exist\$3) (event or alert\$3) Bayesian ((threat\$5 or danger\$3 or malicious\$2 or intu\$4) near3 (level or threshold))) and 709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/08 20:48

EAST Search History

S84	55	@ad<"20040123" and (repeat\$3 identif\$4 (pre-exist\$3 or exist\$3) (event or alert\$3) Bayesian ((threat\$5 or danger\$3 or malicious\$2 or intru\$4) near3 (level or threshold)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/08 20:58
S85	60	@ad<"20040123" and (repeat\$3 identif\$4 (pre-exist\$3 or exist\$3) (event or alert\$3) Bayesian ((threat\$5 or danger\$3 or malicious\$2 or intru\$4) near3 (level or threshold)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/08 21:07
S86	766	@ad<"20040123" and (repeat\$3 identif\$4 (pre-exist\$3 or exist\$3) (event or alert\$3) ((threat\$5 or danger\$3 or malicious\$2 or intru\$4) near3 (level or threshold)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/08 21:11
S87	59	@ad<"20040123" and ((repeat\$3 with (event or alert\$3)) identif\$4 (pre-exist\$3 or exist\$3) ((threat\$5 or danger\$3 or malicious\$2 or intru\$4) near3 (level or threshold)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/08 21:17
S88	161	@ad<"20040123" and ((repeat\$3 with (event or alert\$3)) (pre-exist\$3 or exist\$3) ((threat\$5 or danger\$3 or malicious\$2 or intru\$4) with (level or threshold)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/08 21:32
S89	202	@ad<"20040123" and (((repeat\$3 with (event or alert\$3 or intru\$4)) (pre-exist\$3 or exist\$3) ((threat\$5 or danger\$3 or malicious\$2 or intru\$4) with (level or threshold)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/08 21:41
S90	42	@ad<"20040123" and (((repeat\$3 or each or every) with (event or alert\$3 or intru\$4)) (pre-exist\$3 or exist\$3) ((threat\$5 or danger\$3 or malicious\$2 or intru\$4) with (level or threshold))) and "709"/\$.cccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/09 15:12